

Table 1

### Required Immunizations By Age for New Jersey Child Care Centers

By This Age	Child shall have received a total of	Intervals between immunizations
2 – 3 months	1 dose DTP/DtaP (Diphtheria-Tetanus-Pertussis) 1 dose Hib 1 dose Polio Vaccine 1 dose PCV	
4 – 5 months	2 doses DTP/DtaP 2 doses Hib 2 doses Polio Vaccine 2 doses PCV	2 months
6 – 7 months	3 doses DTP/DtaP 2 – 3 doses Hib* 2 doses Polio Vaccine 2-3 doses PCV 1 dose influenza ( <b>annually</b> )	2 months
8 – 14 months	3 doses DTP/DtaP 2 – 3 doses Hib* 2 doses Polio Vaccine 2-3 doses PCV ( <b>Only up to 11 months</b> ) 1 dose influenza ( <b>annually</b> )	
15 – 17 months	3 doses DTP/DtaP 1 dose Hib 2 doses Polio Vaccine 1 dose MMR (Measles, Mumps, Rubella) 1 dose PCV 1 dose influenza ( <b>annually</b> )	9 months
18 – 19 months	4 doses DTP/DtaP 1 dose Hib 3 doses Polio Vaccine 1 dose MMR (Measles, Mumps, Rubella) 1 dose Varicella 1 dose PCV ( <b>18 to 4 years</b> ) 1 dose influenza ( <b>annually</b> )	16 – 17 months to complete the required series

- Haemophilus influenza b (Hib) vaccine has different schedules depending on the type of vaccine used and when the child started the series.
- MMR and Varicella must be administered on or after the first birthday. If vaccines are not administered on the same day, there must be at least 4 weeks between the administered vaccines.
- MMR and Varicella vaccines cannot be administered prior to the 1<sup>st</sup> birthday. If administered before the 1<sup>st</sup> birthday, the vaccines must be repeated.
- Notated any outbreaks on the child's form.

Table 2

### Recommended Booster Vaccine Doses for Children Between 4 – 6 years Before Entering School (Kindergarten/Grade 1)

By Age 4 –6	Vaccines	Interval
School Entry Boosters	Child should have received school entry boosters, these consist of: 1 dose of DTP/DtaP given on or after the fourth birthday 1 dose of Polio given on or after the fourth birthday 2 doses of measles/MMR if not given before 3 doses Hep B 1 dose Varicella	Variable: Dependent upon when the child will be entering a school setting and the physician's preference.